



All Island Palliative Healthcare Research Study (June 2026 Version 1.1)

Questions

Q1. Which of the following do you believe are true of palliative care? *(Multiple select)*

Q2. Based on this definition, if you or someone close to you needed this type of care, would you want access to it? *(Single select)*

Q3. Thinking about palliative care as just defined, which 3 of the following would be most important to you if you or someone close to you needed palliative care? *(Multiple select)*

Q4. Thinking about palliative care as just defined, which 3 of the following would be most important to you if you or someone close to you needed palliative care? *(Multiple select)*

Q5. Which 3 of the following community-based supports do you think would be most helpful if you or someone close to you was living with a serious or life-limiting illness? *(Multiple select)*

Q6. Advance care planning is a voluntary process that helps people think about and share their wishes, feelings, beliefs and values in relation to their future care. It can include personal, legal, clinical and financial matters. Based on this description, how likely would you be to have a conversation with someone close to you about your or their future care wishes? *(Single select)*

All Island Palliative Healthcare Research Study

Nationwide Study conducted as part of the iReach Consumer Decisions Omnibus Survey



Consumer Research Project

Conducted by iReach Insights for the All Ireland Institute of Hospice and Palliative Care (AIIHPC).

iReach Consumer Omnibus Survey

Fieldwork undertaken from the 4th to the 11th of June 2026



Mi Pro Survey Software

iReach utilises leading market research solution for all aspects of survey project management: sampling, design, data collection, and tabulation.

Consumer Research Panel

Consumer Research Study conducted on the island of Ireland.
Sample Size = 1500 Respondents
1000 Respondents from ROI
500 Respondents from NI



iReach Consumer Decisions Panel

iReach uses proprietary research panels across consumer and business groups, built on a nationally representative model.

Confidence Level


The iReach Consumer Decisions Omnibus delivers a high level of statistical accuracy. Delivering a sample size of over 1,500 interviews, this provides a confidence level of + or – 2.5% at a 95% confidence interval.




Gender




Age of respondents




Marital Status




Occupation




Children at Home



Household Income



Region





All Island Palliative Healthcare Research Study

EXECUTIVE SUMMARY



OVERVIEW

iReach Insights conducted this research for All Ireland Institute of Hospice and Palliative Care (AIHPC), examining insights on perceptions of Palliative Care in Ireland. The research conducted is nationally representative by Age, Gender, Region, and Socioeconomic Demographics and received 1500 responses. The research report provides insights into beliefs about Palliative Care and preferences if Palliative Care is necessary. The report also provides insights into the most important supports if Palliative Care is required.

KEY POINTS

Palliative Care Beliefs



- 64% believe palliative care can support families and carers. 62% say it can support people with a serious or life-limiting illness, and 60% say it can help people manage pain and other symptoms.
- Just 7% say they don't know anything about palliative care.

Accessing Palliative Care



- Based on the definition provided, more than 4 in 5 (81%) would want access to palliative care if they or someone close to them needed it.
- Relief from pain and symptoms (68%) is comfortably the most important facet of palliative care. Being cared for at home (44%) is important for almost half, while support for family and carers (40%) is third.

Palliative Care Perceptions



- 82% feel reassured that palliative care could help them or someone close to them if needed. 81% know that palliative care can also support the family or carers of someone with a serious or life-limiting illness.
- Just over 1 in 3 (36%) know where to find information or support about advance care planning.

Most Helpful Community Supports



- Practical support at home (57%), support for family members and carers (49%), and help with planning ahead and talking about future care wishes (46%) are seen as the Top 3 most helpful community-based supports if living with a serious or life-limiting illness.

Palliative Care: ROI + Combined

64% believe palliative care can support families and carers. 62% say it can support people with a serious or life-limiting illness, and 60% say it can help people manage pain and other symptoms. Just 7% say they don't know anything about palliative care.



Believed Statements about Palliative Care

Top 6

It can support families and carers, 64%

It can support people with a serious or life-limiting illness, 62%

It can help people manage pain and other symptoms, 60%

It can include emotional, social and spiritual support, 59%

It is mainly for people at the end of life, 56%

It can be provided alongside other treatments, 47%




- 7. It is mainly for people with cancer (12%)
- 8. It is only provided in a hospice (7%)
- 9. Don't know anything about palliative care (7%)

Based on the definition provided, more than 4 in 5 (81%) would want access to palliative care if they or someone close to them needed it.



Would Want Access to Palliative Care if Needed




Q: Based on this definition, if you or someone close to you needed this type of care, would you want access to it? (Single Select, n=1500).



Relief from pain and symptoms (68%) is comfortably the most important facet of palliative care. Being cared for at home (44%) is important for almost half, while support for family and carers (40%) rounds out the top 3.

Most Important Factors if Palliative Care Needed



82% feel reassured that palliative care could help them or someone close to them if needed. 81% know that palliative care can also support the family or carers of someone with a serious or life-limiting illness.



Palliative Care Statements: Top 4 by Agreement

Palliative Care Statements	Strongly Agree	Agree	Neutral	Disagree	Strongly Disagree
I feel reassured that palliative care could help me or someone close to me if needed	31%	51%	14%	2%	2%
	82%			4%	
I know that palliative care can also support the family and carers of someone with a serious or life-limiting illness	30%	51%	15%	3%	1%
	81%			4%	
I know that palliative care can help people make decisions about their future care	24%	52%	19%	3%	2%
	76%			5%	
I would feel comfortable having a conversation with someone close to me about the care I would want if I became seriously ill	31%	44%	17%	5%	3%
	75%			8%	

Just over 1 in 3 (36%) know where to find information or support about advance care planning.



Palliative Care Statements: 5 – 7 by Agreement

Palliative Care Statements	Strongly Agree	Agree	Neutral	Disagree	Strongly Disagree
I know that palliative care can be helpful earlier in a serious illness, not only in the last days or weeks of life	25%	47%	21%	6%	1%
	72%			7%	
When I hear the term palliative care, I think about quality of life and support, not only end of life	23%	41%	18%	16%	2%
	64%			18%	
I know where to find information or support about advance care planning	10%	26%	29%	27%	8%
	36%			35%	

Practical support at home (57%), support for family members and carers (49%), and help with planning ahead and talking about future care wishes (46%) are seen as the Top 3 most helpful community-based supports if living with a serious or life-limiting illness.



Most Helpful Community-Based Supports if Living with Serious or Life-Limiting Illness [Top 5]


Top 5





20% would find bereavement support helpful, while 18% say the same for social activities and opportunities to stay connected.


Most Helpful Community-Based Supports if Living with Serious or Life-Limiting Illness [6-10]



Overall, 3 in 4 (75%) say they would be likely to have a conversation with someone close to them about their or their loved one's future care wishes. Just 5% say they're unlikely or very unlikely.



Likely to Have Conversation about Advance Care Planning



Palliative Care: ROI and NI

Beliefs about Palliative Care are almost identical when comparing ROI to NI. In NI, there is a marginally higher belief (65% vs 63%) that it can support families and carers. Conversely, belief in Palliative Care's usefulness in managing pain and other symptoms is higher in ROI (61% vs 57%).



Believed Statements about Palliative Care

Top 6 [ROI]

It can support families and carers, 63%

It can support people with a serious or life-limiting illness, 62%

It can help people manage pain and other symptoms, 61%

It can include emotional, social and spiritual support, 60%

It is mainly for people at the end of life, 55%

It can be provided alongside other treatments, 47%

Top 6 [NI]

It can support families and carers, 65%

It can support people with a serious or life-limiting illness, 63%

It can include emotional, social and spiritual support, 59%

It can help people manage pain and other symptoms, 57%

It is mainly for people at the end of life, 57%

It can be provided alongside other treatments, 47%


- 7. It is mainly for people with cancer (12%)
- 8. It is only provided in a hospice (8%)
- 9. Don't know anything about palliative care (6%)

- 7. It is mainly for people with cancer (12%)
- 8. Don't know anything about palliative care (8%)
- 9. It is only provided in a hospice (6%)

Desired access to Palliative Care, if needed, is higher in NI (85%) than ROI (79%).



Would Want Access to Palliative Care if Needed




Q: Based on this definition, if you or someone close to you needed this type of care, would you want access to it? (Single Select, n=1000).

Relief from pain and symptoms (71% vs 64%) is a more important factor in ROI vs NI. Support for family and carers (43% vs 38%), and support over a longer period (37% vs 27%) are more important in NI vs ROI. Co-ordinated care across services is notably more important in ROI (23%) than NI (16%).



Most Important Factors if Palliative Care Needed





Across the board, Palliative Care statement agreement is higher in NI than ROI, indicating a much higher level of knowledge. Almost half (45%) in NI know where to find information or support about advance care planning vs less than 1 in 3 (32%) in ROI.

Palliative Care Statements: Agreement [ROI and NI]


ROI		NI
78%	I know that palliative care can also support the family and carers of someone with a serious or life-limiting illness	84%
70%	I know that palliative care can be helpful earlier in a serious illness, not only in the last days or weeks of life	77%
74%	I know that palliative care can help people make decisions about their future care	80%
80%	I feel reassured that palliative care could help me or someone close to me if needed	85%
60%	When I hear the term palliative care, I think about quality of life and support, not only end of life	72%
74%	I would feel comfortable having a conversation with someone close to me about the care I would want if I became seriously ill	78%
32%	I know where to find information or support about advance care planning	45%

Practical support at home is very slightly more important in ROI (57%) vs NI (55%). Support for family members and carers is more important in NI (53%) than ROI (49%). Help with transport to appointments or services (35% vs 23%) is much more important in ROI than NI, and the opposite is true for bereavement supports (27% vs 17%).




Most Helpful Community-Based Supports if Living with Serious or Life-Limiting Illness [Top 5, ROI and NI]

Top 5 [ROI]





Top 5 [NI]



Support from neighbours, friends, and local community networks is seen as more helpful in ROI (17%) than NI (11%).





Most Helpful Community-Based Supports if Living with Serious or Life-Limiting Illness [6-10]



77% in NI are likely to have a conversation with a loved one about advance care planning, while 74% in ROI say the same.




Likely to Have Conversation about Advance Care Planning [ROI and NI]



ENHANCED INSIGHTS

‘Independent and Objective iReach Research Analyst interaction
with ChatGPT based on prior statistical analysis and insight
extraction of iReach Consumer Omnibus Survey Data’



INSIGHT #1: Confidence is the strongest driver of action

People who **feel reassured that palliative care could help them or someone close if needed** are substantially more likely to say they would have an advance care planning conversation.

Predictive Insight

Emotional reassurance appears to be a stronger driver of action than awareness alone. When people view palliative care as supportive and beneficial, they become much more willing to engage in future care planning discussions.

Strategic Implication

Communications should focus on reducing fear and uncertainty around palliative care. Rather than leading with clinical descriptions, campaigns should emphasise the support, comfort and practical benefits that palliative care provides to patients and families.



INSIGHT #2: Knowledge of advance care planning is creating a participation gap

Respondents who know where to find information or support about advance care planning are substantially more likely to have future care planning conversations than those who do not.

Predictive Insight

Many people may not be avoiding these conversations because they are unwilling, they simply lack the knowledge or resources needed to begin the process.

Strategic Implication

There is a significant opportunity to increase engagement through practical education and signposting. Providing simple, accessible information on how to start advance care planning conversations may be as important as raising awareness of the topic itself.

INSIGHT #3: Understanding the value of planning turns intention into action

Respondents who understand that advance care planning helps ensure a person's wishes and preferences are respected if they become unable to communicate them are significantly more likely to discuss future care wishes.

Predictive Insight

People are motivated less by the process of planning and more by the outcome. Understanding that advance care planning protects personal choice and autonomy appears to be a key behavioural trigger.

Strategic Implication

Campaigns should frame advance care planning around empowerment, control and peace of mind. Messaging focused on ensuring wishes are respected is likely to resonate more strongly than messaging focused on paperwork or healthcare processes.

INSIGHT #4: Comfort with difficult conversations predicts future planning

Respondents who say they would feel comfortable discussing the care they would want if they became seriously ill are far more likely to have advance care planning conversations with loved ones.

Predictive Insight

The biggest barrier may not be awareness or understanding, but emotional discomfort. Those who are comfortable discussing serious illness are much more likely to take action.

Strategic Implication

Initiatives should focus on normalising conversations about future care rather than treating them as exceptional or crisis-driven events. Providing conversation starters, family discussion guides and real-life examples may help reduce barriers to engagement.



INSIGHT #5: Understanding palliative care beyond end-of-life increases engagement

Respondents who recognise that palliative care can support quality of life, assist families and carers, and be introduced earlier in serious illness are more likely to engage in advance care planning conversations.

Predictive Insight

The strongest predictor is not simply having heard of palliative care but having a broader and more accurate understanding of its role. Greater understanding is associated with greater willingness to plan ahead.

Strategic Implication

Awareness campaigns should actively challenge the perception that palliative care is only about end-of-life care. Highlighting its role in improving quality of life, supporting families and helping people navigate serious illness may increase public engagement and future planning behaviours.



THANK YOU.

Oisin Byrne

Research Director

oisin.byrne@ireachhq.com

Darragh Coyle

Head of Research

darragh.coyle@ireachhq.com



ireach.insights



ireachinsights

APPENDIX

Believed Statements about Palliative Care



Which of the following do you believe are true of palliative care?

Cell content: Column%				What gender are you?		Age					SES	
	All	ROI	NI	Male	Female	18-24	25-34	35-44	45-54	55+	ABC1	C2DE
Sample Size	1500	1000	500	733	767	165	270	315	270	480	830	670
It can support families and carers	64%	63%	65%	56%	70%	50%	64%	58%	65%	71%	63%	64%
It can support people with a serious or life-limiting illness	62%	62%	63%	58%	67%	54%	50%	55%	67%	74%	62%	63%
It can help people manage pain and other symptoms	60%	61%	57%	52%	67%	42%	49%	55%	66%	71%	60%	59%
It can include emotional, social and spiritual support	59%	60%	59%	55%	63%	48%	60%	51%	62%	67%	63%	55%
It is mainly for people at the end of life	56%	55%	57%	56%	56%	48%	54%	56%	57%	58%	56%	55%
It can be provided alongside other treatments	47%	47%	47%	45%	49%	38%	40%	35%	55%	58%	49%	44%
It is mainly for people with cancer	12%	12%	12%	13%	11%	8%	12%	12%	15%	11%	12%	12%
It is only provided in a hospice	7%	8%	6%	8%	6%	8%	6%	8%	8%	6%	6%	8%
I do not know anything about palliative care	7%	6%	8%	8%	6%	8%	10%	7%	7%	4%	5%	9%

Would Want Access to Palliative Care if Needed



Based on this definition, if you or someone close to you needed this type of care, would you want access to it?

Cell content: Column%				What gender are you?		Age					SES	
	All	ROI	NI	Male	Female	18-24	25-34	35-44	45-54	55+	ABC1	C2DE
Sample Size	1500	1000	500	733	767	165	270	315	270	480	830	670
Yes	81%	79%	85%	77%	85%	75%	82%	74%	83%	87%	84%	78%
No	5%	4%	7%	6%	4%	6%	8%	7%	3%	2%	5%	5%
Maybe	14%	17%	8%	17%	11%	20%	10%	18%	14%	11%	11%	17%

Most Important Factors if Palliative Care Needed



Thinking about palliative care as just defined, which 3 of the following would be most important to you if you or someone close to you needed palliative care?

Cell content: Column%				What gender are you?		Age					SES	
	All	ROI	NI	Male	Female	18-24	25-34	35-44	45-54	55+	ABC1	C2DE
Sample Size	1500	1000	500	733	767	165	270	315	270	480	830	670
Relief from pain and symptoms	68%	71%	64%	67%	70%	53%	63%	66%	75%	75%	68%	69%
Being cared for at home	44%	43%	46%	44%	44%	37%	35%	44%	43%	50%	42%	46%
Support for family and carers	40%	38%	43%	38%	41%	40%	45%	38%	41%	37%	38%	42%
Being involved in decisions about care	37%	36%	38%	34%	39%	40%	38%	33%	35%	38%	36%	37%
Access to care close to where I live	32%	33%	29%	36%	28%	37%	33%	32%	28%	31%	34%	29%
Support over a longer period, not just at end of life	30%	27%	37%	30%	31%	29%	33%	34%	28%	27%	31%	29%
Emotional, social and spiritual support	29%	30%	28%	30%	29%	39%	34%	33%	28%	22%	30%	28%
Coordinated care across services	20%	23%	16%	21%	20%	23%	18%	20%	21%	21%	22%	19%

Palliative Care Statements



Please state how much you agree or disagree with each of the following statements about palliative care.

Cell content: Column%				What gender are you?		Age					SES	
	All	ROI	NI	Male	Female	18-24	25-34	35-44	45-54	55+	ABC1	C2DE
Sample Size	1500	1000	500	733	767	165	270	315	270	480	830	670
I know that palliative care can also support the family and carers of someone with a serious or life-limiting illness												
Strongly disagree	1%	1%	2%	1%	2%	5%	1%	1%	1%	1%	1%	2%
Disagree	3%	3%	2%	3%	3%	4%	5%	3%	3%	1%	4%	2%
Neither agree nor disagree	15%	17%	12%	18%	13%	22%	10%	23%	17%	10%	13%	18%
Agree	51%	52%	49%	51%	50%	48%	55%	43%	53%	52%	53%	47%
Strongly agree	30%	27%	35%	27%	32%	21%	28%	29%	27%	36%	29%	31%
I know that palliative care can be helpful earlier in a serious illness, not only in the last days or weeks of life												
Strongly disagree	1%	1%	1%	1%	1%	2%	1%	2%	1%	1%	1%	1%
Disagree	6%	5%	6%	4%	7%	4%	7%	6%	5%	5%	6%	5%
Neither agree nor disagree	21%	24%	16%	27%	16%	28%	23%	25%	21%	16%	21%	22%
Agree	47%	46%	48%	45%	48%	40%	44%	45%	49%	50%	48%	45%
Strongly agree	25%	24%	29%	23%	28%	26%	25%	23%	24%	28%	24%	27%
I know that palliative care can help people make decisions about their future care												
Strongly disagree	2%	2%	2%	2%	2%	4%	1%	3%	2%	1%	1%	2%
Disagree	3%	3%	3%	3%	3%	2%	2%	5%	4%	2%	4%	3%
Neither agree nor disagree	19%	21%	15%	23%	15%	28%	16%	23%	20%	15%	18%	21%
Agree	52%	52%	50%	50%	53%	51%	58%	48%	51%	50%	54%	49%
Strongly agree	24%	21%	30%	21%	27%	15%	23%	21%	23%	31%	23%	25%

Palliative Care Statements



Please state how much you agree or disagree with each of the following statements about palliative care.

Cell content: Column%				What gender are you?		Age					SES	
	All	ROI	NI	Male	Female	18-24	25-34	35-44	45-54	55+	ABC1	C2DE
Sample Size	1500	1000	500	733	767	165	270	315	270	480	830	670
I feel reassured that palliative care could help me or someone close to me if needed												
Strongly disagree	2%	2%	2%	2%	2%	3%	1%	3%	1%	2%	2%	1%
Disagree	2%	2%	3%	2%	3%	4%	3%	4%	3%	1%	2%	4%
Neither agree nor disagree	14%	16%	10%	16%	12%	20%	15%	17%	14%	9%	13%	15%
Agree	51%	51%	50%	54%	48%	52%	51%	49%	53%	51%	57%	44%
Strongly agree	31%	28%	35%	25%	36%	20%	29%	28%	29%	38%	26%	36%
When I hear the term palliative care, I think about quality of life and support, not only end of life												
Strongly disagree	2%	3%	2%	3%	2%	5%	0%	4%	2%	2%	2%	2%
Disagree	16%	18%	11%	17%	15%	13%	16%	19%	17%	14%	17%	14%
Neither agree nor disagree	18%	19%	15%	17%	18%	25%	15%	23%	16%	13%	14%	22%
Agree	41%	41%	41%	40%	42%	42%	39%	38%	44%	43%	43%	38%
Strongly agree	23%	19%	31%	24%	23%	14%	30%	17%	20%	28%	23%	23%

Palliative Care Statements



Please state how much you agree or disagree with each of the following statements about palliative care.

Cell content: Column%				What gender are you?		Age					SES	
	All	ROI	NI	Male	Female	18-24	25-34	35-44	45-54	55+	ABC1	C2DE
Sample Size	1500	1000	500	733	767	165	270	315	270	480	830	670
I would feel comfortable having a conversation with someone close to me about the care I would want if I became seriously ill												
Strongly disagree	3%	3%	2%	4%	2%	10%	0%	3%	3%	2%	3%	3%
Disagree	5%	5%	5%	5%	5%	9%	4%	8%	4%	3%	7%	3%
Neither agree nor disagree	17%	18%	14%	18%	15%	17%	17%	22%	17%	12%	14%	20%
Agree	44%	45%	42%	46%	43%	45%	48%	40%	45%	45%	47%	41%
Strongly agree	31%	29%	36%	27%	35%	18%	31%	27%	31%	39%	29%	34%
I know where to find information or support about advance care planning												
Strongly disagree	8%	10%	5%	9%	7%	12%	9%	11%	7%	5%	8%	9%
Disagree	27%	28%	25%	27%	27%	27%	31%	25%	29%	25%	29%	25%
Neither agree nor disagree	29%	30%	25%	29%	28%	29%	19%	32%	31%	30%	27%	30%
Agree	26%	24%	32%	26%	27%	21%	32%	23%	24%	29%	27%	26%
Strongly agree	10%	8%	13%	9%	11%	11%	8%	9%	9%	11%	9%	11%

Most Helpful Community-Based Supports if Living with Serious or Life-Limiting Illness



Which 3 of the following community-based supports do you think would be most helpful if you or someone close to you was living with a serious or life-limiting illness?

Cell content: Column%				What gender are you?		Age					SES	
	All	ROI	NI	Male	Female	18-24	25-34	35-44	45-54	55+	ABC1	C2DE
Sample Size	1500	1000	500	733	767	165	270	315	270	480	830	670
Practical support at home	57%	58%	55%	58%	57%	44%	48%	54%	64%	66%	58%	56%
Support for family members and carers	49%	47%	53%	46%	52%	42%	39%	54%	53%	51%	48%	51%
Help with planning ahead and talking about future care wishes	46%	45%	47%	45%	47%	42%	40%	41%	49%	52%	45%	47%
Information about available local services and supports	31%	33%	28%	31%	32%	35%	29%	28%	28%	35%	28%	35%
Help with transport to appointments or services	31%	35%	23%	29%	33%	25%	32%	30%	34%	33%	31%	31%
Bereavement support	20%	17%	27%	17%	23%	15%	19%	24%	21%	20%	19%	22%
Social activities and opportunities to stay connected	18%	17%	20%	22%	14%	31%	32%	17%	13%	10%	21%	15%
Volunteer support, such as home visits or befriending	17%	17%	17%	18%	16%	23%	22%	14%	12%	16%	19%	15%
Emotional support from community groups	15%	13%	18%	16%	14%	23%	18%	22%	14%	6%	14%	16%
Support from neighbours, friends and local community networks	15%	17%	11%	17%	13%	21%	21%	16%	11%	11%	17%	12%

Likely to Have Conversation about Advance Care Planning



Advance care planning is a voluntary process that helps people think about and share their wishes, feelings, beliefs and values in relation to their future care. It can include personal, legal, clinical and financial matters. Based on this description, how likely would you be to have a conversation with someone close to you about your or their future care wishes?

Cell content: Column%				What gender are you?		Age					SES	
	All	ROI	NI	Male	Female	18-24	25-34	35-44	45-54	55+	ABC1	C2DE
Sample Size	1500	1000	500	733	767	165	270	315	270	480	830	670
Very likely	29%	26%	35%	25%	32%	20%	27%	26%	28%	35%	28%	29%
Likely	46%	48%	42%	48%	44%	45%	53%	42%	46%	44%	49%	41%
Neither likely nor unlikely	20%	22%	17%	22%	19%	26%	15%	28%	21%	16%	18%	23%
Unlikely	3%	2%	3%	3%	3%	2%	2%	3%	3%	3%	2%	3%
Very unlikely	2%	2%	3%	2%	3%	8%	2%	1%	2%	2%	2%	3%